

41 5 ST, MIAMI, FL, 33131

https://ritterproperties.com

Spectacular 2-story Loft with breathtaking views of Downtown and the ocean. Just steps from Brickell Citi Center, Mary Brickell Village and Metro Mover. Features 18-foot ceilings, travertine floors, motorized blinds, european style cabinetry, cable, water and high speed internet included. Building amenities offers 2 pools, jacuzzi, spa, gym, BBQ area, business center and 24/7 valet. [...]

- 1 hed
- 1 bath
- Residential Lease
- Condominiun
- Pending
- 981 sq ft

(!)

This site can't load Google Maps correctly.

Do you own this website? g.co/staticmaperror/signature



## Basics

Date added: Added 4 weeks ago	Category: Condominium
Type: Residential Lease	Status: Pending
Bedrooms: 1 bed	Bathrooms: 1 bath
Half baths: 1 half bath	<b>Area: 981</b> sq ft
Lot size, sq ft: 0 sq ft	SubdivisionName: Brickell on the River Sout,Brickell on the Rive
LeaseTerm: 12 Months, Short Term Lease	ListOfficeName: WERC Realty, LLC
GarageSpaces: 1	View: Bay, Ocean, Other
UnitNumber: 1105	ListAOR: Miami Association of REALTORS®
EntryLevel: 11	MLS ID: A11703619

## **Building Details**

Cooling features: Central Air	Year built: 2006
<b>ArchitecturalStyle:</b> First Floor Entry, High Rise	NewConstructionYN: No
Building Name: Brickell on the River Sout	Exterior material: CBS Construction
Heating: Central	<b>Parking:</b> No Rv/Boats, No Trucks/Trailers, Parking Garage, Valet

## **Amenities & Features**



**Features:** Fire Sprinklers, Walk-In Closet(s)

**Amenities:** Dishwasher, Disposal, Dryer, Electric Range, Microwave, Refrigerator, Self Cleaning Oven, Washer

**ExteriorFeatures:** Barbeque, Lighting, Open Balcony

Waterfront available: Yes

AttachedGarageYN: Yes

PoolPrivateYN: No

**Security Features:** Fire Sprinklers, Fire Alarm, Smoke Detector, Key Card Entry, Building Security, Lobby Attended, Key/Card Entry Parking, Security Patrol

**WindowFeatures:** Complete Impact Glass, Blinds, High Impact Windows, Sliding

**PoolFeatures:** Community

GarageYN: Yes CoolingYN: Yes FireplaceYN: No

